# **WEST Search History**

DATE: Monday, May 20, 2002

Set Name side by side		Hit Count	Set Name result set
DB = US	PT,PGPB,JPAB,EPAB,DWPI; PLUR=YES; OP=OR	?	
L2	polyhexamethyleneguanidine same phosphate	5	L2
L1	polyhexamethyleneguanidine adj2 phosphate	5	L1

END OF SEARCH HISTORY

#### End of Result Set

Generate Collection

L3: Entry 9 of 9

File: DWPI

Oct 30, 1991

DERWENT-ACC-NO: 1992-266496

DERWENT-WEEK: 199232

COPYRIGHT 2002 DERWENT INFORMATION LTD

TITLE: Disinfecting agent - contains aq. soln. of poly-hexa:ethylene-guanidine

gluconate used as active component to improve properties

INVENTOR: GEMBITSKII, P A; POLIKARPOV, N A; VIKTOROV, A N

PATENT-ASSIGNEE:

ASSIGNEE CODE
MEDICAL BIOLOG PROBLEMS INST
PETROCHEM SYNTHESIS INSTINST
PETRR

PRIORITY-DATA: 1989SU-4769327 (December 15, 1989)

PATENT-FAMILY:

PUB-NO PUB-DATE LANGUAGE PAGES MAIN-IPC

SU 1687261 A1 October 30, 1991 005 A61L002/16

APPLICATION-DATA:

PUB-NO APPL-DATE APPL-NO DESCRIPTOR

SU 1687261A1 December 15, 1989 1989SU-4769327

INT-CL (IPC): A61L 2/16; A61L 2/18

ABSTRACTED-PUB-NO: SU 1687261A

BASIC-ABSTRACT:

Use of polyhexamethyleneguanidine gluconate of formula (I) (-NH-C(=NH-C6H1 207)-NH-(CH2)6-)n as the active component in the disinfecting compsn., improves its properties. The mixt. contains (in wt.%): (I) 0.5-1.5 and balance water. (I) is obtd. by dissolving the parent base in 10% aq. Ca gluconate, pptn. Ca with H2SO4 and filtering. Drying the filtrate in vacuum yields (I) in the form of a white solid material.

USE/ADVANTAGE - Used in the prodn. of disinfecting agents. Tests show that compared with polyhexamethyleneguanidine.HCl, the cpd. (I) has toxicity, skin irritation, and corrosivity reduced by 4, 2 and over 30 times respectively. Bul.40/30.10.9

CHOSEN-DRAWING: Dwg.0/0

TITLE-TERMS: DISINFECT AGENT CONTAIN AQUEOUS SOLUTION POLY HEXA ETHYLENE GUANIDINE GLUCONATE ACTIVE COMPONENT IMPROVE PROPERTIES

DERWENT-CLASS: A97 D22 P34

CPI-CODES: A05-B; A10-E; A12-W12; D09-A01;

UNLINKED-DERWENT-REGISTRY-NUMBERS: 1740U

POLYMER-MULTIPUNCH-CODES-AND-KEY-SERIALS:

Key Serials: 0231 1276 2022 2198 2207 2318 2370 2378 2386 2394 2396 2509 2589 2672 2673 2675 2701 3194

Multipunch Codes: 014 04- 139 153 231 250 316 359 385 398 402 408 409 417 419 427 516 518 525 526 57- 58& 603 62- 678 724 726

#### SECONDARY-ACC-NO:

CPI Secondary Accession Numbers: C1992-119088 Non-CPI Secondary Accession Numbers: N1992-203715

## End of Result Set

### Generate Collection

L3: Entry 9 of 9

File: DWPI

Oct 30, 1991

DERWENT-ACC-NO: 1992-266496

DERWENT-WEEK: 199232

COPYRIGHT 2002 DERWENT INFORMATION LTD

TITLE: Disinfecting agent - contains aq. soln. of poly-hexa:ethylene-guanidine

gluconate used as active component to improve properties

INVENTOR: GEMBITSKII, PA; POLIKARPOV, NA; VIKTOROV, AN

PATENT-ASSIGNEE:

ASSIGNEE CODE
MEDICAL BIOLOG PROBLEMS INST MEDIR
PETROCHEM SYNTHESIS INSTINST PETRR

PRIORITY-DATA: 1989SU-4769327 (December 15, 1989)

PATENT-FAMILY:

 PUB-NO
 PUB-DATE
 LANGUAGE
 PAGES
 MAIN-IPC

 SU 1687261 A1
 October 30, 1991
 005
 A61L002/16

APPLICATION-DATA:

PUB-NO APPL-DATE APPL-NO DESCRIPTOR

SU 1687261A1 December 15, 1989 1989SU-4769327

INT-CL (IPC): A61L 2/16; A61L 2/18

ABSTRACTED-PUB-NO: SU 1687261A

BASIC-ABSTRACT:

Use of polyhexamethyleneguanidine gluconate of formula (I) (-NH-C(=NH-C6H1 207)-NH-(CH2)6-)n as the active component in the disinfecting compsn., improves its properties. The mixt. contains (in wt.%): (I) 0.5-1.5 and balance water. (I) is obtd. by dissolving the parent base in 10% aq. Ca gluconate, pptn. Ca with H2SO4 and filtering. Drying the filtrate in vacuum yields (I) in the form of a white solid material.

USE/ADVANTAGE - Used in the prodn. of disinfecting agents. Tests show that compared with polyhexamethyleneguanidine. HCl, the cpd. (I) has toxicity, skin irritation, and corrosivity reduced by 4, 2 and over 30 times respectively. Bul. 40/30.10.9

CHOSEN-DRAWING: Dwg.0/0

TITLE-TERMS: DISINFECT AGENT CONTAIN AQUEOUS SOLUTION POLY HEXA ETHYLENE GUANIDINE GLUCONATE ACTIVE COMPONENT IMPROVE PROPERTIES

DERWENT-CLASS: A97 D22 P34

CPI-CODES: A05-B; A10-E; A12-W12; D09-A01;

UNLINKED-DERWENT-REGISTRY-NUMBERS: 1740U

POLYMER-MULTIPUNCH-CODES-AND-KEY-SERIALS: